



**DEPARTMENT OF PUBLIC HEALTH AND SOCIAL SERVICES
DIVISION OF ENVIRONMENTAL HEALTH
CHILD CARE FACILITY
INSPECTION REPORT**

REASON		GRADE	Inspection Date:	ESTABLISHMENT NAME:	
Regular	✓	4	5/9/2019	ANIGUA LEARNING LADDER CHILD CARE CENTER	
Follow-Up			Time In/Out:	OWNER/OPERATOR:	
Complaint			10:05 AM 11:00 AM	JR PEREDO INC.	
Investigation		RATING	Sanitary Permit No.:	LOCATION: 114 WEST O'BRIEN	Establishment Type:
Other:		A	20000-18001885	AMIGUA, (TVAM)	CCL / NURSERY
			PERMIT STATUS: ✓ Valid _____ Temporary _____ Expired		
No. of Children: 12 Male 4 Female 26 Total			Child Care License: No. 90233 / ✓ Valid / / Provisional / / Expired		

The following items identify violations found this day in the operations and facilities which must be corrected by the next inspection or sooner as the Department indicates. Non-compliance may result in downgrading or permit suspension. To appeal a written request for hearing must be submitted before the indicated correction date.

ITEM*	REMARKS	DEMERIT	CORRECT BY
	A REGULAR INSPECTION WAS CONDUCTED.		
	PREVIOUS INSPECTION CONDUCTED ON 3/25/2019 (2/A).		
	ALL PREVIOUS VIOLATIONS WERE CORRECTED (29).		
	THE FOLLOWING VIOLATIONS WERE OBSERVED.		
17	PAINT PEELING IN INFANT/TODDLER ROOM. WALLS & CEILINGS SHALL BE KEPT IN GOOD REPAIR TO PREVENT PHYSICAL HAZARDS.	2	6/8/2019
31	TWO POINTY METALS ON WALL IN TODDLER ROOM WERE OBSERVED. ALL AREAS, FACILITIES AND EQUIPMENT SHALL BE KEPT IN GOOD REPAIR TO PREVENT POTENTIAL PHYSICAL HAZARDS.	2	6/8/2019
	PHOTOS TAKEN.		
	"A" PLACARD #02397 UPDATED.		
	PIG BRIEFED ON THE ABOVE		

I have read and understand the above violation(s) and I am aware of the corrective measures to be taken.

*Note: When any of the following items are cited above, they shall be corrected within 10 days of this inspection:
(2), (4), (6), (14), (21), (23), (24), (27), (28), (39) & (40).

Received By (Name & Title):

Antsie Reyes Lead Teacher

DEH Inspector (Name & Title):

C. TAKASE EPHOI